LIFESAVING SYSTEMS CORPORATION

LSC Test Report Number: F-730-219
Revision: A

Release Under Load Test Report

#219



PROPRIETARY & CONFINDENTIAL

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OWNED BY LIFESAVING SYSTEMS AND MAY NOT BE DUPLICATED, COMMUNICATED TO OTHER PARTIES OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN PERMISSION OF LIFESAVING SYSTEMS CORP.

Prepared by: _____ Date: ___20-FEB-2020_____
Thomas Beach, Engineering

Approved by: *Robert D Jerger* Date: ___20Feb2020____
Rob Jerger, Quality

Document History				
Revision	**Issue Date**	**Description of Revision/Modification**	**Revised by**	**Approved by**
A	20-FEB-2020	Initial Release	-	

Table of Contents

PURPOSE: 4
ACRONYMS AND ABBREVIATIONS: 4
TEST FACILITY: 4
REFERENCE: 4
SUMMARY OF TESTS: 5
SECTION 1- LOAD RELEASE TEST: 6
1.1 TEST REQUIREMENTS 6
1.2 RESULTS 7

PURPOSE:

The purpose of this report is to show the #219 aviation crewman belt is capable of releasing under a load. The release device shall also meet the requirements listed in ASTO-C1001.

ACRONYMS AND ABBREVIATIONS:

LSC – Lifesaving Systems Corp.
N/A – Not Applicable
P/N – Part Number
S/N – Serial Number

TEST FACILITY:

Testing was performed at Lifesaving Systems Corporation's (LSC) manufacturing facility located in Apollo Beach, Florida by LSC personnel.

REFERENCE:

ATSO-C1001: DISPATCHER'S RESTRAINT STRAP

SUMMARY OF TESTS:

Section	Test Description	Results
1	Release Test	With one hand, the #219 aviation crewman belt can release under load quickly and easily.

SECTION 1- LOAD RELEASE TEST:

1.1 TEST REQUIREMENTS

The dispatcher's restraint strap shall incorporate quick release at the harness end of the strap. The quick release shall:

i. be simple and obvious to action;
ii. be able to easily release under load with one hand; and
iii. be protected against inadvertent release.

1.2 RESULTS





Two front buckles are simple and obvious to action.

Double action release latches protect from inadvertent release.





Easily release under load with one hand.



Release under load.